



Mayor Jim Newberry

**LEXINGTON-FAYETTE URBAN COUNTY GOVERNMENT**

Division of Environmental Policy

Department of Environmental Quality

January 22, 2009

Section Supervisor  
Inventory and Data Management Section  
KPDES Branch, Division of Water  
200 Fair Oaks Lane, Fourth Floor  
Frankfort, KY 40601

RE: KPDES Application  
LFUCG Fleet Services  
669 Byrd Thurman Drive, Lexington, KY 40510  
Certified mail # 7000 0520 0018 2456 1782

Enclosed please find a KPDES application, Form 1 and Form F, for the Lexington-Fayette Urban County Government (LFUCG) Facilities and Fleet Management site located at 669 Byrd Thurman Drive, Lexington, KY.

This KPDES application and the related Best Management Practices (BMP) plan on file at the facility were prepared by a local environmental consultant (Tetra Tech Inc) at the direction of the LFUCG.

Please call me at 859-425-2808 if you have any questions about this submittal.

Sincerely,

Thomas R. Webb, CPG, CHMM  
Environmental Compliance Coordinator

cc:

David Loney, Acting Assistant Director, Facilities and Fleet Management  
Charles Martin, Director, LFUCG Division of Water Quality  
File

HORSE CAPITAL OF THE WORLD

# KPDES FORM 1

AZ# 475 37

## KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

JAN 27 2009

### PERMIT APPLICATION

This is an application to: (check one)

- ☒ Apply for a new permit.  
☐ Apply for reissuance of expiring permit.  
☐ Apply for a construction permit.  
☐ Modify an existing permit.

Give reason for modification under Item II.A.

A complete application consists of this form and one of the following:

Form A, Form B, Form C, Form F, or Form SC

For additional information contact:

KPDES Branch (502) 564-3410

<b>I. FACILITY LOCATION AND CONTACT INFORMATION</b>		AGENCY USE	0107727
A. Name of business, municipality, company, etc. requesting permit Lexington-Fayette Urban County Government			
<b>B. Facility Name and Location</b>		<b>C. Primary Mailing Address</b> (all facility correspondence will be sent to this address). <u>Include owner mailing address on a separate sheet if different.</u>	
Facility Location Name: Fleet Services		Facility Contact Name and Title: Mr. <input checked="" type="checkbox"/> Ms. <input type="checkbox"/> David Loney	
Facility Location Address (i.e. street, road, etc., <b>not PO Box</b> ): 669 Byrd Thurman Drive		Mailing Address: 669 Byrd Thurman Drive	
Facility Location City, State, Zip Code: Lexington, KY 40510		Mailing City, State, Zip Code: Lexington, KY 40510	
		Facility Contact Telephone Number: 859.258.3910	

<b>II. FACILITY DESCRIPTION</b>			
A. Provide a brief description of activities, products, etc: This facility is used for the storage and maintenance of vehicles and equipment used by LFUCG.			
<b>B. Standard Industrial Classification (SIC) Code and Description</b>			
Principal SIC Code & Description:	N/A		
Other SIC Codes:			

<b>III. FACILITY LOCATION</b>	
A. Attach a U.S. Geological Survey 7 1/2 minute quadrangle map for the site. (See instructions)	
B. County where facility is located: Fayette	City where facility is located (if applicable): Lexington
C. Body of water receiving discharge: Wolf Run	
D. Facility Site Latitude (degrees, minutes, seconds): 38 04 01.7 N	Facility Site Longitude (degrees, minutes, seconds): 84 33 00.5 W
E. Method used to obtain latitude & longitude (see instructions): GPS Reading	
F. Facility Dun and Bradstreet Number (DUNS #) (if applicable): N/A	

**IV. OWNER/OPERATOR INFORMATION****A. Type of Ownership:**☒ Publicly Owned ☐ Privately Owned ☐ State Owned ☐ Both Public and Private Owned ☐ Federally owned**B. Operator Contact Information (See instructions)**

Name of Treatment Plant Operator:

N/A

Telephone Number:

Operator Mailing Address (Street):

Operator Mailing Address (City, State, Zip Code):

Is the operator also the owner?

Yes ☐No ☐

Is the operator certified? If yes, list certification class and number below.

Yes ☐No ☐

Certification Class:

Certification Number:

**V. EXISTING ENVIRONMENTAL PERMITS**

Current NPDES Number:

N/A

Issue Date of Current Permit:

Expiration Date of Current Permit:

Number of Times Permit Reissued:

Date of Original Permit Issuance:

Sludge Disposal Permit Number:

Kentucky DOW Operational Permit #:

Kentucky DSMRE Permit Number(s):

Which of the following additional environmental permit/registration categories will also apply to this facility?

CATEGORY	EXISTING PERMIT WITH NO.	PERMIT NEEDED WITH PLANNED APPLICATION DATE
Air Emission Source	N/A	
Solid or Special Waste	N/A	
Hazardous Waste - Registration or Permit	N/A	

**VI. DISCHARGE MONITORING REPORTS (DMRs)**

KPDES permit holders are required to submit DMRs to the Division of Water on a regular schedule (as defined by the KPDES permit). Information in this section serves to specifically identify the name and telephone number of the DMR official and the DMR mailing address (if different from the primary mailing address in Section I.C).

A. DMR Official (i.e., the department, office or individual designated as responsible for submitting DMR forms to the Division of Water):

LFUCG Division of Fleet Services

DMR Official Telephone Number:

859.258.3910

B. DMR Mailing Address:

- Address the Division of Water will use to mail DMR forms (if different from mailing address in Section I.C), or
- Contact address if another individual, company, laboratory, etc. completes DMRs for you; e.g., contract laboratory address.

DMR Mailing Name:

David Loney

DMR Mailing Address:

669 Byrd Thurman Drive

DMR Mailing City, State, Zip Code:

Lexington, KY 40510

## VII. APPLICATION FILING FEE

KPDES regulations require that a permit applicant pay an application filing fee equal to twenty percent of the permit base fee. Please examine the base and filing fees listed below and in the Form 1 instructions and enclose a check payable to "Kentucky State Treasurer" for the appropriate amount (for permit renewals, please include the KPDES permit number on the check to ensure proper crediting). Descriptions of the base fee amounts are given in the "General Instructions."

Facility Fee Category:

Filing Fee Enclosed:

Public Owned Treatment Works (No Fee Due)


0.00

## VIII. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

NAME AND OFFICIAL TITLE (type or print): Mr. <input checked="" type="checkbox"/> Ms. <input type="checkbox"/> <i>DAVID Lowery</i>	TELEPHONE NUMBER (area code and number): <i>859 258 3910</i>
SIGNATURE <i>[Signature]</i>	DATE: <i>1/14/09</i>





# DIVISION OF FLEET SERVICES - LFUCG

Fleet Services Facility Location  
 Lexington West USGS 7.5' Topographic Quadrangle Map  
 Lexington-Fayette Urban County Government




**TETRA TECH, INC.**

800 Corporate Drive, Suite 200  
 Lexington, KY 40503  
 859-223-8000



# KPDES FORM F

AI 47537



## KENTUCKY POLLUTANT DISCHARGE ELIMINATION SYSTEM

### PERMIT APPLICATION

A complete application consists of this form and Form 1.  
For additional information, Contact KPDES Branch, (502) 564-3410.

#### I. OUTFALL LOCATION

AGENCY USE

0 1 0 7 7 2 7

For each outfall list the latitude and longitude of its location to the nearest 15 seconds and name the receiving water.

A. Outfall Number	B. Latitude			C. Longitude			D. Receiving Water (name)
001	38	04	01.7	84	33	00.5	Wolf Run

#### II. IMPROVEMENTS

A. Are you now required by any federal, state, or local authority to meet any implementaiton schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

1. Identification of Conditions, Agreements, Etc.	2. Affected Outfalls		3. Brief Description of Project	4. Final Compliance Date	
	No.	Source of Discharge		a. req.	b. proj.
N/A					

B. You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

#### III. SITE DRAINAGE MAP

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfall(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each know past or present areas used for outdoor storage or disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which receive storm water discharges from the facility.

**IV. NARRATIVE DESCRIPTION OF POLLUTANT SOURCES**

A. For each outfall, provide an estimate of the area (include units) of impervious surfaces (including paved areas and building roofs) drained to the outfall, and an estimate of the total surface area drained by the outfall.

Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)
001	5.8 acres	7.8 acres			

B. Provide a narrative description of significant materials that are currently or in the past three years have been treated, stored or disposed in a manner to allow exposure to storm water; method of treatment, storage, or disposal; past and present materials management practices employed to minimize contact by these materials with storm water runoff; materials loading and access areas; and the location, manner, and frequency in which pesticides, herbicides, soil conditioners, and fertilizers are applied.

This facility provides a storage area for vehicles and equipment used by LFUCG. Pesticides, herbicides, soil conditioners, and fertilizers are not applied over the majority of the direct drainage area. A BMP plan has been developed in conjunction with this application to address exposure of equipment to stormwater.

C. For each outfall, provide the location and a description of existing structural and nonstructural control measures to reduce pollutants in storm water runoff; and a description of the treatment the storm water receives, including the schedule and type of maintenance for control and treatment measures and the ultimate disposal of any solid or fluid wastes other than by discharge.

Outfall Number	Treatment	List Codes from Table F-1
001	oil and grease filter sock	

**V. NON-STORM WATER DISCHARGES**

A. I certify under penalty of law that the outfall(s) covered by this application have been tested or evaluated for the presence of non-storm water discharges, and that all non-storm water discharges from these outfall(s) are identified in either an accompanying Form C or Form SC application for the outfall.

Name and Official Title (type or print)	Signature	Date Signed
Jennifer M. Carey, P.E.	Jennifer M. Carey	10-21-08

B. Provide a description of the method used, the date of any testing, and the onsite drainage points that were directly observed during a test.

No non-stormwater discharges via visual inspection.

**VI. SIGNIFICANT LEAKS OR SPILLS**

Provide existing information regarding the history of significant leaks or spills of toxic or hazardous pollutants at the facility in the last three years, including the approximate date and location of the spill or leak, and the type and amount of material released.

N/A

**VII. DISCHARGE INFORMATION**

A,B,C, & D: See instructions before proceeding. Complete one set of tables for each outfall. Annotate the outfall number in the space provided. Tables F-1, F-2, and F-3 are included on separate pages.

E: Potential discharges not covered by analysis - is any toxic pollutant listed in Table F-2, F-3, or F-4, a substance which you currently use or manufacture as an intermediate or final product or by product.

☐ Yes (list all such pollutants below)

☒ No (go to Section IX)

**VIII. BIOLOGICAL TOXICITY TESTING DATA**

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ Yes (list all such results below)

☒ No (go to Section IX)

**IX. CONTRACT ANALYSIS INFORMATION**

Were any of the analyses reported in item VII performed by a contract laboratory or consulting firm?

☒ Yes (list the name, address and telephone number of, and pollutants analyzed by each such laboratory or firm below; use additional sheets if necessary).

☐ No (go to Section IX)

A. Name	B. Address	C. Area Code & Phone No.	D. Pollutants Analyzed
Microbac Laboratories	2520 Regency Road Lexington, KY 40503	859.276.3506	All Pollutants

**X. CERTIFICATION**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations.

NAME & OFFICIAL TITLE (type or print)

AREA CODE AND PHONE NO.

Mr. ☒ Ms. ☐

DAVID LOWEY

859 258 3910

SIGNATURE

DATE SIGNED

1/14/09



**VII. DISCHARGE INFORMATION****OUTFALL NO: 001**

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)	Maximum Values (include units)		Average Values (include units)		Number of Storm Events Sampled	Sources of Pollutants
	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite		
Oil and Grease	<5 mg/L	N/A			1	
Biological Oxygen Demand BOD <sub>5</sub>	12 mg/L	<5 mg/L			1	
Chemical Oxygen Demand (COD)	73 mg/L	25 mg/L			1	
Total Suspended Solids (TSS)	30 mg/L	11 mg/L			1	
Total Kjeldahl Nitrogen	1.1 mg/L	0.94 mg/L			1	
Nitrate plus Nitrite Nitrogen	0.21 mg/L	0.22 mg/L			1	
Total Phosphorus	0.62 mg/L	0.28 mg/L			1	
pH	6.5 (lab)	7.62 (field)	Minimum	Maximum	1	

Part B - List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's KPDES permit for its process wastewater (if the facility is operating under an existing KPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

Pollutant and CAS Number (if available)	Maximum Values (include units)		Average Values (include units)		Number of Storm Events Sampled	Sources of Pollutants
	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite		
Hardness as CaCO <sub>3</sub>	140 mg/L	72 mg/L			1	
Cadmium, TR	<0.005 mg/L	<0.005 mg/L			1	
Cadmium, Dissolved	<0.002 mg/L	<0.0005 mg/L			1	
Copper, TR	0.022 mg/L	<0.005 mg/L			1	
Copper, Dissolved	<0.005 mg/L	<0.005 mg/L			1	
Lead, TR	<0.01 mg/L	<0.01 mg/L			1	
Lead, Dissolved	<0.01 mg/L	<0.01 mg/L			1	
Zinc, TR	0.06 mg/L	0.03 mg/L			1	
Zinc, Dissolved	0.04 mg/L	0.03 mg/L			1	
Arsenic	<0.1 mg/L	<0.1 mg/L			1	
Chromium	<0.01 mg/L	<0.01 mg/L			1	
Iron	2.28 mg/L	0.49 mg/L			1	
Mercury	<0.0002 mg/L	<0.0002 mg/L			1	
Molybdenum	0.03 mg/L	<0.02 mg/L			1	
Nickel	<0.01 mg/L	<0.01 mg/L			1	
Selenium	0.07 mg/L	<0.05 mg/L			1	
Silver	<0.01 mg/L	<0.01 mg/L			1	
Benzene	<0.005 mg/L	<0.005 mg/L			1	

Part C - List each pollutant shown in Tables F-2, F-3, and F-4 that you know or have reason to believe is present. See the instructions for additional details and requirements. Complete one table for each outfall.

Pollutant and CAS Number (if available)	Maximum Values (include units)		Average Values (include units)		Number of Storm Events Sampled	Sources of Pollutants
	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite	Grab Sample Taken During 1 <sup>st</sup> 20 Minutes	Flow-weighted Composite		
Toluene	<0.005 mg/L	<0.005 mg/L			1	
Ethylbenzene	<0.005 mg/L	<0.005 mg/L			1	
Total Xylenes	<0.015 mg/L	<0.015 mg/L			1	
N-Nitrosodimethylamine	<0.01 mg/L	<0.01 mg/L			1	
bis(2-Chloroethyl)Ether	<0.01 mg/L	<0.01 mg/L			1	
Phenol	<0.01 mg/L	<0.01 mg/L			1	
2-Chlorophenol	<0.01 mg/L	<0.01 mg/L			1	
bis(2-Chloroisopropyl)Ether	<0.01 mg/L	<0.01 mg/L			1	
Hexachloroethane	<0.01 mg/L	<0.01 mg/L			1	
N-Nitrosodi-N-Propylamine	<0.01 mg/L	<0.01 mg/L			1	
Nitrobenzene	<0.01 mg/L	<0.01 mg/L			1	
Isophorone	<0.01 mg/L	<0.01 mg/L			1	
2-Nitrophenol	<0.01 mg/L	<0.01 mg/L			1	
2,4-Dimethylphenol	<0.01 mg/L	<0.01 mg/L			1	
bis(2-Chloroethoxy)methane	<0.01 mg/L	<0.01 mg/L			1	
2,4-Dichlorophenol	<0.01 mg/L	<0.01 mg/L			1	
1,2,4-Trichlorobenzene	<0.01 mg/L	<0.01 mg/L			1	
Naphthalene	<0.01 mg/L	<0.01 mg/L			1	
Hexachlorobutadiene	<0.01 mg/L	<0.01 mg/L			1	
4-Chloro-3-Methylphenol	<0.01 mg/L	<0.01 mg/L			1	
Hexachlorocyclopentadiene	<0.01 mg/L	<0.01 mg/L			1	
2,4,6-Trichlorophenol	<0.01 mg/L	<0.01 mg/L			1	
2-Chloronaphthalene	<0.01 mg/L	<0.01 mg/L			1	
Dimethyl phthalate	<0.01 mg/L	<0.01 mg/L			1	
Acenaphthylene	<0.01 mg/L	<0.01 mg/L			1	
2,6-Dinitrotoluene	<0.01 mg/L	<0.01 mg/L			1	
Acenaphthene	<0.01 mg/L	<0.01 mg/L			1	
2,4-Dinitrophenol	<0.01 mg/L	<0.01 mg/L			1	
4-Nitrophenol	<0.01 mg/L	<0.01 mg/L			1	
2,4-Dinitrotoluene	<0.01 mg/L	<0.01 mg/L			1	
Fluorene	<0.01 mg/L	<0.01 mg/L			1	
Diethyl phthalate	<0.01 mg/L	<0.01 mg/L			1	

4-Chlorophenyl phenyl ether	<0.01 mg/L	<0.01 mg/L			1	
2-methyl-4,6-dinitrophenol	<0.01 mg/L	<0.01 mg/L			1	
n-Nitroso-diphenylamine	<0.01 mg/L	<0.01 mg/L			1	
4-Bromophenyl phenyl ether	<0.01 mg/L	<0.01 mg/L			1	
Hexachlorobenzene	<0.01 mg/L	<0.01 mg/L			1	
Pentachlorophenol	<0.01 mg/L	<0.01 mg/L			1	
Anthracene	<0.01 mg/L	<0.01 mg/L			1	
Phenanthrene	<0.01 mg/L	<0.01 mg/L			1	
Di-n-butyl phthalate	<0.01 mg/L	<0.01 mg/L			1	
Fluoranthene	<0.01 mg/L	<0.01 mg/L			1	
Benidine	<0.036 mg/L	<0.01 mg/L			1	
Pyrene	<0.01 mg/L	<0.01 mg/L			1	
Benzyl butyl phthalate	<0.01 mg/L	<0.01 mg/L			1	
Benzo(a)anthracene	<0.01 mg/L	<0.01 mg/L			1	
3,3'-Dichlorobenzidine	<0.01 mg/L	<0.01 mg/L			1	
bis(2-Ethylhexyl)phthalate	<0.01 mg/L	<0.01 mg/L			1	
Chrysene	<0.01 mg/L	<0.01 mg/L			1	
Di-n-octyl phthalate	<0.01 mg/L	<0.01 mg/L			1	
Benzo(b)fluoranthene	<0.01 mg/L	<0.01 mg/L			1	
Benzo(k)fluoranthene	<0.01 mg/L	<0.01 mg/L			1	
Benzo(a)pyrene	<0.01 mg/L	<0.01 mg/L			1	
Indeno(1,2,3-c,d)pyrene	<0.01 mg/L	<0.01 mg/L			1	
Dibenzo(a,h)anthracene	<0.01 mg/L	<0.01 mg/L			1	
Benzo(g,h,i)perylene	<0.01 mg/L	<0.01 mg/L			1	

Part D - Provide data for the storm event(s) which resulted in the maximum values for the flow-weighted composite sample.

1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rainfall during storm event (in inches)	4. Number of hours between beginning of storm measured and end of previous measurable rain event	5. Maximum flow rate during rain event (gal/min or specify units)	6. Total flow from rain event (gallons or specify units)
12-2-2007	>180	0.77	>120	0.96 cfs	46,500 gallons

7. Provide a description of the method of flow measurement or estimate.

The outfall is a 15" pvc pipe, so the Manning equation was used to determine velocity for various depths. The depth was measured at each sampling time which allowed computation of flow by knowing velocity and cross-sectional flow area.



